

CORRECTION

Open Access



# Correction: The Regulate your Sitting Time (RESIT) intervention for reducing sitting time in individuals with type 2 diabetes: findings from a randomised-controlled feasibility trial

Marsha L. Brierley<sup>1,2</sup>, Angel M. Chater<sup>3,4</sup>, Charlotte L. Edwardson<sup>5,6</sup>, Ellen M. Castle<sup>1,7,8</sup>, Emily R. Hunt<sup>1,2</sup>, Stuart J. H. Biddle<sup>9,10</sup>, Rupa Sisodia<sup>1,2</sup> and Daniel P. Bailey<sup>1,2\*</sup>

**Correction: Diabetology & Metabolic Syndrome**

**(2024) 16:87**

<https://doi.org/10.1186/s13098-024-01336-6>

In Table 1 of this article [1], the data in the [Control (n = 35) Intervention (n = 35)] were calculated incorrectly. The correct version of Table 1 is given in this correction.

The original article can be found online at <https://doi.org/10.1186/s13098-024-01336-6>.

\*Correspondence:

Daniel P. Bailey  
[daniel.bailey@brunel.ac.uk](mailto:daniel.bailey@brunel.ac.uk)

<sup>1</sup> Centre for Physical Activity in Health and Disease, College of Health, Medicine and Life Sciences, Brunel University London, Kingston Lane, Uxbridge UB8 3PH, UK

<sup>2</sup> Division of Sport, Health and Exercise Sciences, Department of Life Sciences, Brunel University London, Kingston Lane, Uxbridge UB8 3PH, UK

<sup>3</sup> Institute for Sport and Physical Activity Research, Centre for Health, Wellbeing and Behaviour Change, University of Bedfordshire, Polhill Avenue, Bedford MK41 9EA, UK

<sup>4</sup> Centre for Behaviour Change, University College London, 1-19 Torrington Place, London WC1E 7HB, UK

<sup>5</sup> Leicester Lifestyle and Health Research Group, Diabetes Research Centre, University of Leicester, Leicester General Hospital, Leicester LE5 4PW, UK

<sup>6</sup> NIHR Leicester Biomedical Research Centre, Leicester General Hospital, Leicester LE5 4PW, UK

<sup>7</sup> Physiotherapy Division, Department of Health Sciences, College of Health, Medicine and Life Sciences, Brunel University London, Kingston Lane, Uxbridge UB8 4PH, UK

<sup>8</sup> Curtin School of Allied Health, School of Health Sciences, Curtin University, Bentley, WA 6845, Australia

<sup>9</sup> Centre for Health Research, University of Southern Queensland, Springfield Central, Springfield, QLD 4300, Australia

<sup>10</sup> Faculty of Sport & Health Sciences, University of Jyväskylä, 40014 Jyväskylä, Finland

Full list of author information is available at the end of the article



© The Author(s) 2024. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

**Table 1** Demographic characteristics of the participants at baseline

	Control (n = 35)	Intervention (n = 35)	All (n = 70)
Sex, n (%)			
Male	13 (37%)	18 (51%)	31 (44%)
Female	22 (63%)	17 (49%)	39 (56%)
Age (years), mean (SD)	55 (11)	60 (11)	58 (11)
Ethnicity, n (%)			
Black, Asian and minority ethnic	22 (63%)	21 (60%)	43 (61%)
White (any White background)	13 (37%)	14 (40%)	27 (39%)
Education, mean (SD)			
Secondary school (e.g., high school)	8 (23%)	10 (29%)	18 (26%)
Tertiary (e.g. university and above)	27 (77%)	25 (71%)	52 (74%)
Married/cohabiting, n (%)			
Married/living as married	27 (77%)	17 (49%)	44 (63%)
Single/separated/divorced/widowed	8 (23%)	18 (51%)	26 (37%)
Employment status, n (%)			
Disabled	0 (0%)	2 (6%)	2 (3%)
Employed full time	23 (66%)	12 (34%)	35 (50%)
Employed part time	4 (11%)	4 (11%)	8 (11%)
Retired	8 (23%)	14 (40%)	22 (31%)
Student	0 (0%)	2 (6%)	2 (3%)
Unemployed	0 (0%)	1 (3%)	1 (1%)
Had COVID prior to study start, n (%)			
No	31 (89%)	34 (97%)	65 (93%)
Yes	4 (11%)	1 (3%)	5 (7%)
Effects of the COVID-19 pandemic on work/life, n (%)			
Currently shielding	6 (17%)	11 (31%)	17 (24%)
Newly working from home	11 (31%)	8 (23%)	19 (27%)
Unemployed or retired already	6 (17%)	10 (29%)	16 (23%)
Lost their job	0 (0%)	1 (3%)	1 (1%)
Been furloughed	6 (17%)	0 (0%)	6 (9%)
Currently self-isolating	2 (6%)	2 (6%)	4 (6%)
None of the above	8 (23%)	4 (11%)	12 (17%)
Other	4 (11%)	6 (17%)	10 (14%)
Years living with type 2 diabetes <sup>a</sup> , mean (SD)	11 (8)	12 (11)	11 (9)

<sup>a</sup> Data on years living with type 2 diabetes was only available for 54 participants (n = 28 for usual care control group and n = 26 for intervention group)

The original article has been corrected.

#### Author details

<sup>1</sup>Centre for Physical Activity in Health and Disease, College of Health, Medicine and Life Sciences, Brunel University London, Kingston Lane, Uxbridge UB8 3PH, UK. <sup>2</sup>Division of Sport, Health and Exercise Sciences, Department of Life Sciences, Brunel University London, Kingston Lane, Uxbridge UB8 3PH, UK. <sup>3</sup>Institute for Sport and Physical Activity Research, Centre for Health, Wellbeing and Behaviour Change, University of Bedfordshire, Polhill Avenue, Bedford MK41 9EA, UK. <sup>4</sup>Centre for Behaviour Change, University College London, 1-19 Torrington Place, London WC1E 7HB, UK. <sup>5</sup>Leicester Lifestyle and Health Research Group, Diabetes Research Centre, University of Leicester, Leicester General Hospital, Leicester LE5 4PW, UK. <sup>6</sup>NIHR Leicester Biomedical Research Centre, Leicester General Hospital, Leicester LE5 4PW, UK. <sup>7</sup>Physiotherapy Division, Department of Health Sciences, College of Health, Medicine and Life Sciences, Brunel University London, Kingston Lane, Uxbridge UB8 4PH, UK. <sup>8</sup>Curtin School of Allied Health, School of Health Sciences, Curtin University, Bentley, WA 6845,

Australia. <sup>9</sup>Centre for Health Research, University of Southern Queensland, Springfield Central, Springfield, QLD 4300, Australia. <sup>10</sup>Faculty of Sport & Health Sciences, University of Jyväskylä, 40014 Jyväskylä, Finland. Published online: 28 June 2024

#### Reference

- Brierley ML, Chater AM, Edwardson CL, Castle EM, Hunt ER, Biddle SJH, Sisodia R, Bailey DP. The Regulate your Sitting Time (RESIT) intervention for reducing sitting time in individuals with type 2 diabetes: findings from a randomised-controlled feasibility trial. *Diabetol Metab Syndr*. 2024;16:87. <https://doi.org/10.1186/s13098-024-01336-6>.

#### Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.