



Article

# Effects of Parental Involvement in a Preschool-Based Eye Health Intervention Regarding Children's Screen Use in China

Shu-Mei Liu <sup>1</sup>, Fong-Ching Chang <sup>2,\*</sup>, Cheng-Yu Chen <sup>2</sup>, Shu-Fang Shih <sup>3</sup>, Bo Meng <sup>4</sup>, Eric Ng <sup>5</sup>, Chia-Hsuan Hsu <sup>6</sup>, Yi-Te Chiang <sup>6</sup>, Xiao-Jie Mao <sup>7</sup>, Ming-Yan Yi <sup>7</sup>, Ben LePage <sup>6,8</sup> and Wei-Ta Fang <sup>6,\*</sup>

- <sup>1</sup> Department of Preschool Education, Jing Hengyi College of Education, Hangzhou Normal University, Hangzhou 311121, China; liushumei@hznu.edu.cn
  - <sup>2</sup> Department of Health Promotion and Health Education, National Taiwan Normal University, Taipei 106, Taiwan; t09004@ntnu.edu.tw
  - <sup>3</sup> Department of Health Administration, College of Health Professions, Virginia Commonwealth University, Richmond, VA 23298, USA; shihs2@vcu.edu
  - <sup>4</sup> Department of Surgery, Shanxi Provincial People's Hospital, Taiyuan 030012, China; mengbo0528@163.com
  - <sup>5</sup> School of Business, University of Southern Queensland, Toowoomba, QLD 4350, Australia; eric.ng@usq.edu.au
  - <sup>6</sup> Graduate Institute of Environmental Education, National Taiwan Normal University, Taipei 116, Taiwan; d05625002@ntu.edu.tw (C.-H.H.); faratajiang@gmail.com (Y.-T.C.); benlepage2@gmail.com (B.L.)
  - <sup>7</sup> Health Care Center, The First Kindergarten in Fengtai District, Beijing 100071, China; yiwushimaoxiaojie@126.com (X.-J.M.); ymyanlsh\_zhu@126.com (M.-Y.Y.)
  - <sup>8</sup> Academy of Natural Sciences, Philadelphia, PA 19103, USA
- \* Correspondence: fongchingchang@ntnu.edu.tw (F.-C.C.); wtfang@ntnu.edu.tw (W.-T.F.);  
Tel.: +886-2-7749-1711(F.-C.C.); +886-2-7749-6558 (W.-T.F.)

**Citation:** Liu, S.-M.; Chang, F.-C.; Chen, C.-Y.; Shih, S.-F.; Meng, B.; Ng, E.; Hsu, C.-H.; Chiang, Y.-T.; Mao, X.-J.; Yi, M.-Y.; et al.

Effects of Parental Involvement in a Preschool-Based Eye Health Intervention Regarding Children's Screen Use in China. *Int. J. Environ. Res. Public Health* **2021**, *18*, 11330. <https://doi.org/10.3390/ijerph182111330>

Academic Editors: E. Kipling Webster, Amanda Staiano and Michael J. Duncan

Received: 11 September 2021

Accepted: 25 October 2021

Published: 28 October 2021

**Publisher's Note:** MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



**Copyright:** © 2021 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

**Abstract:** In this digital era, young children spend a considerable amount of time looking at telephone, tablet, computer and television screens. However, preventative eye health behavior education could help avoid and relieve asthenopia. The effects of parental influence on their children's eye health behavior through the preschool eye health education intervention program were examined. The Health Belief Model was used to develop parental involvement strategy and eye health curriculum. The study was conducted in a large public preschool with five branches in Beijing, China. A total of 248 parent-child pairs participated in the baseline and follow-up surveys, of which 129 were in the intervention group and 119 were in the comparison group. The generalized estimating equation analysis results indicated that parental involvement in preschool-based eye health intervention on screen uses had positive influence on parents' eye health knowledge, cues to action, and parenting efficacy. The intervention program also had positive effects on the increasing level of children's eye health knowledge, beliefs, cues to action, self-efficacy, and behaviors. The results supported the implementation of a preschool-based eye health intervention program with parental involvement, which could potentially enhance children's and parents' eye health beliefs and practices.

**Keywords:** eye health; screen use; children; preschool; parent involvement

## 1. Introduction

Children's eye health has been found to be strongly associated with the quality of learning and achievement in school, which impacts their quality of life and future economic productivity [1]. Globally, there are an estimated 19 million children with vision impairments, and the majority of these are either preventable or can be alleviated [2]. Children's eye health is a growing public health problem worldwide, and this is particularly evident in East Asian countries [3]. In 2019, the overall myopia rate of children and adolescents in China was 53.6%, and the prevalence of poor vision in preschoolers was

14.5% [4]. Furthermore, more than one-third of first-grade students in Beijing have poor vision [5]. Previous studies [6,7] suggest that myopia is more likely to progress into more severe myopia in later childhood years, and may result in an irreversible loss of vision [8].

In this digital era, young children spend a considerable amount of time looking at screens (e.g., computers, tablets, smartphones, and televisions) [9–11]. Studies conducted in a number of countries indicate that about two-thirds of the children exceeded the one hour per day screen time recommendation proposed by the American Academy of Pediatrics [11–13]. Other studies [14–18] also noted that young children who spend extended periods of time looking at screens tend to experience intense asthenopia (eye strain), which has contributed to increased asthenopia in youths [19]. In addition, recent studies indicate that screen use may impact the level of myopia [20–22].

However, preventative eye health behaviors could potentially help avoid and relieve asthenopia [23]. Although early eye health education in schools is regarded as an effective method for improving children's eye health knowledge, attitudes, and behaviors, there is limited evidence of eye health programs being included as part of the educational curriculum design and development [24]. The government of China has acknowledged the importance of eye health education and has responded with a proposed comprehensive plan to help prevent and control myopia in children and adolescents [25].

Parents with higher levels of risk perception and greater parental efficacy are more likely to mediate their child's eye care behavior [26]. Moreover, children with high academic performance tend to have a higher level of risk perception, and those whose parents provide a higher level of mediation are more likely to engage in better eye care behavior [26]. Studies have also shown that a parent's low level of health literacy is linked to children's poor health-related knowledge, behaviors, and outcomes [27,28]. Therefore, there is an increasing need and responsibility for parents to foster their children's health literacy skills [29]. Parental involvement has been widely acknowledged as a vital strategy for improving children's development and is particularly effective in early childhood [30]. Although parental involvement has been shown to improve the effects of health behavior intervention [31], there is a lack of research examining parental involvement in children's health literacy skills.

This present study aims to fill this gap by using the Health Belief Model (HBM) to better understand parental influence on their children's eye health behavior through the preschool eye health education in China. This study posits that a preschool-based eye health intervention education program that is supported by parental involvement could positively improve children's and their parents' eye health knowledge.

## 2. Materials and Methods

### 2.1. Preschool Eye Health Intervention Education Curriculum

This study applied the HBM to parental involvement in a preschool eye health program to develop the children's eye health curriculum, parent resource materials, and parent-child co-learning materials. The HBM theory is a model that explains and predicts preventive eye health behaviors [32], which includes health knowledge, health beliefs (perceived susceptibility, perceived severity, perceived benefits, perceived barriers), cues to action, self-efficacy and health behaviors, and incorporates the concept of self-efficacy that has been rooted in Bandura's Social Cognitive Theory [33]. The HBM and self-efficacy theories have been widely used in the field of eye health research [34,35]. Parental involvement includes parenting, volunteering, communication, learning at home, decision making, and community collaboration [36]. Based on previous studies and the plan for comprehensive prevention and control of myopia in children and adolescents proposed by the government of China [25], we have simplified the eye health methods into a "1-2-3 strategy" that is comprised of the following: "Screen time should be less than 1 h per day," "Outdoor activity should be more than 2 h per day," and "Each near-work activity should

not exceed 30 min". The eye health intervention education curriculum in the present study consists of four modules, that are delivered through ten half-h lessons and activities.

Module 1: "Knowing how electronic screens affect kids' eyes" aims to increase parents' and children's eye health knowledge, susceptibility, and severity of screen overuse and myopia. The methods used to deliver this module include lectures, games, stories, peer-to-peer sharing, singing, and reading parent-child learning leaflets. Module 2: "Life skills training to protect eyes from electronic screen overuse harm", which enhances children's life skills by implementing eye health strategies to reduce electronic screen overuse through storytelling and role-playing. Module 3 activities emphasize the need for "improving eye health self-efficacy" that is focused on enhancing children's eye health self-efficacy through observation and performance of eye care related songs. Module 4 is related to "joining outdoor activities" where the time spent outside is increased and the benefits of eye health can be gained by engaging in outdoor activities such as ball games and throwing frisbees.

Prior to the commencement of the eye health intervention education curriculum, teachers from the preschools had to attend a one-week training workshop on effective eye health instructions conducted by the researcher. The trained teachers implemented the eye health intervention program with parental involvement between 1 and 30 April 2019. During these intervention classes, teachers had used a variety of techniques and activities such as formal instructions, demonstrations, games, stories, role play, peer sharing, and positive reinforcement to achieve the goals of the Modules.

Furthermore, parental resource booklets and leaflets related to children's eye health were also distributed. Resource booklets for parents included topics on eye health knowledge, risk factors for myopia, the impact of screen overuse, and parenting strategies to protect children's eye health. Parenting strategies included being a role model, monitoring children's near-work activity, supervising their eye health behavior, communicating, and negotiating family rules, and creating a supportive environment for them.

For four weeks, the children were asked to take home eye health leaflets, complete four homework assignments incorporating parent-child activities, and return the parents' feedback to the teacher the following week. The contents of the four parent-child learning leaflets included the following: (1) making eye health decisions with the child and writing down their name on the eye health declaration leaflets; (2) telling stories that taught ways to preserve eye health; (3) communicating with children and setting family eye health rules; and (4) collaborating with children to list the family rules mentioned on posters at home. In addition, an online resource package that included an eye health knowledge video and an ophthalmologist's eye health lecture video was provided to the parents.

## 2.2. Design

This study adopted a quasi-experimental design conducted at five Beijing preschools between March and May 2019, in which the principals and teachers had agreed to participate. Parents were invited to participate in the study, given consent forms and informed that the data gathered would be published, but names would remain confidential and anonymous. Ten preschool classes participated and were randomly assigned to the intervention (four classes) or comparison (six classes) group. Pre- and post-surveys of the children and parents were conducted in March 2019 (baseline) and May 2019 (follow-up), respectively, to assess the effects of the intervention program.

The researchers visited the preschools to conduct the surveys. Working with children can always introduce unexpected results and biases to the results. Therefore, surveys with children were conducted through face-to-face group interviews in their schools and the researchers read the questionnaire items to the children. The children were not accompanied by their parents. In contrast, parents were asked to complete the survey through the "Wen Juanxing" online platform via the social app WeChat.

### 2.3. Participants

Two hundred sixty children between 5 and 6 years old, and their parents, were invited to participate in the study. The intervention and comparison groups were represented by 137 and 123 parent–child groups, respectively. While the baseline survey received 100% response rate (260 responses), the follow-up survey only accounted for 95.4% (248 responses). Therefore, we only used the results from the 248 responses (129 from the intervention group and 119 from the comparison group) in our analysis. Children and parents in the intervention group took part in the eye health intervention education curriculum for four weeks, while the comparison group did not. This study was approved by the institutional review board of Research Ethics Committee (REC) of the National Taiwan Normal University (REC No. 201802HS004).

### 2.4. Measurements

Questionnaires were used to collect children’s and parents’ eye health knowledge, beliefs, cues to action, self-efficacy, and behaviors (please see Appendix A. Survey Questionnaire). The questionnaires were developed using the key concepts of the HBM [32], parental involvement [36], and the eye health intervention curriculum developed for this study. The children’s questionnaires used words and pictures to aid children’s understanding of the questions. Six expert reviewers were invited to assess the content validity of the eye health intervention education curriculum and evaluation questionnaires. Content validity indices of the children’s and parent’s questionnaires were 0.89 and 0.92, which indicates a slight difference between the children’s and their parent’s responses. The curriculum and questionnaires were revised according to the reviewer’s comments following the content validity assessment. Subsequently, pre-test surveys among 40 parent–child groups were conducted to examine their responses and to evaluate the reliability of the data. The pre-test survey found that the internal consistency of the questionnaire items was within the acceptable limit (Cronbach’s  $\alpha \geq 0.6$ ).

#### 2.4.1. Eye Health Knowledge

Based on the HBM, children’s eye health knowledge was comprised of four items: (1) screen use time every day, (2) screen use time every time, (3) screen use distance, and (4) outdoor activities. A sample question was, “How long do you think your screen time should be every day?” There were three response options for each item: (a) which is the most correct answer; (b) an incorrect answer; and (c) “unknown”. Each correct response scored 1 point, while each incorrect or “unknown” response scored 0.

There were 10 question items related to eye health knowledge that required the parent’s response. A sample question is as follows: “Which of the following is the most important behavioral factor leading to myopia” Each correct response scored 1 point, while each incorrect or “unknown” response scored 0.

#### 2.4.2. Eye Health Beliefs

Children were asked eight questions about eye health beliefs, including perceived susceptibility (one item), perceived severity (one item), perceived benefits (three items), and perceived barriers (three items). An example is as follows: “Do you think it is serious that screen overuse makes your eyes uncomfortable?” The response included two options for perceived severity from cartoon images: “Not serious” (1) and “Serious” (2). A higher score indicated better awareness of eye health practices. Cronbach’s  $\alpha$  for the children’s eye health beliefs scale was 0.72.

Parents were asked to respond to 16 questions related to eye health beliefs, including perceived susceptibility (three items), perceived severity (four items), perceived benefits (three items), and perceived barriers (six items). A sample question is as follows: “I think that children who often watch electronic products can easily lead to premature myopia (eye strain).” The response options for each item were evaluated using a five-point Likert

scale that ranged from “Strongly disagree” (1) to “Strongly agree” (5). After reversing the perceived barriers’ scores, the sum of all domains was the total score of parents’ eye health beliefs. A higher score indicated a higher level of parental eye health beliefs. Cronbach’s  $\alpha$  for the parent’s eye health beliefs scale was 0.86.

#### 2.4.3. Eye Health Cues to Action

There were three items associated with cues to action in which the children were asked to respond. A sample question was, “Has your teacher ever taught you how to protect your eyes when using a screen?” This was a yes or no response and the scoring was a 1 (yes) or 0 (no). A higher score indicated a higher level of awareness of cues for maintaining eye health. The Cronbach’s  $\alpha$  of the children’s eye health cues to action scale was 0.60.

Parents were asked to respond to four cues to action questions. A sample question was, “The preschool teacher has told me how to protect my child’s eye when using the screen.” There were two available options (answers), “Yes” and “No”, which were coded as “1” and “0”, respectively. A higher score indicated a higher level of parental eye health cues to action. The Cronbach’s  $\alpha$  of the parents’ eye health cues to action scale was 0.86.

#### 2.4.4. Eye Health Self-Efficacy

The children’s eye health self-efficacy contained four questions to assess their confidence level. A sample question was, “Do you feel confident that you use screen no more than one hour a day?” Each of these items had two available options (answers), “Confident” (coded as “1”), and “Not confident” (coded as “0”) from cartoon images. A higher score indicated a higher level of awareness of eye health self-efficacy. Cronbach’s  $\alpha$  for the children’s eye health self-efficacy scale was 0.79.

There were 11 questions related to parent’s eye health parenting efficacy. A sample question was, “I can remind my child to keep a proper distance when they use the screen.” A five-point Likert scale measurement (i.e., Not very confident = 1; Very confident = 5) was used for each of these items according to a rating of their confidence ratio from 0 to 100%. A higher score indicated a higher level of eye health parenting efficacy. Cronbach’s  $\alpha$  for the parent’s eye health parenting efficacy scale was 0.83.

#### 2.4.5. Eye Health Behaviors

There were four questions about eye health behaviors that the children were asked for a response. An example is as follows: “Do you feel confident that your screen use is no more than one hour a day?” A three-point Likert scale (“Never” = 1; “Sometimes” = 2; “Always” = 3) was used to evaluate their responses by cartoon images. A higher score indicated a higher frequency of children’s eye health behaviors. The Cronbach’s  $\alpha$  of the children’s eye health behavior scale was 0.70.

Parent’s eye health parenting behaviors consisted of 11 questions. A sample is as follows: “I can remind my child to keep a proper distance when he/she uses the screen.” The response for each item was measured through a five-point Likert scale (“Never” = 1; “Always” = 5). A higher score indicated a higher frequency of parents’ eye health parenting behaviors. The Cronbach’s  $\alpha$  of the parents’ eye health parenting behavior scale was 0.88.

### 2.5. Socio-Demographic Characteristics

Children’s socio-demographic characteristics in the present study included gender, time spent using screens every day (i.e., less than one hour, one hour or more), and children’s vision (i.e., myopic, not myopic, or do not know), as reported by their parents. The parent’s socio-demographic characteristics included parental role (father or mother), age (under 37 or over 37), education level (high school or below, college or university, or post-graduate), and vision (myopic, not myopic or unknown).

## 2.6. Data Analysis

Statistical analyses were performed using SPSS version 23.0 (IBM, Armonk, NY, USA). Descriptive statistics were calculated for all variables, whereas chi-square tests were conducted to examine background variables between the intervention and comparison groups at baseline. In addition, the generalized estimating equation (GEE) approach was used to examine the effects of the intervention on children's and parental eye health knowledge, health beliefs, cues to action, self-efficacy, and behaviors.

## 3. Results

### 3.1. Socio-Demographic Characteristics

Our analysis was based on the responses from 248 parent–child pairs, comprised of 129 (52%) parent–child pairs from the intervention group and the remaining pairs ( $n = 119$ , 48%) from the comparison group. Children's gender was equally represented with males and females of 127 (51.2%) and 121 (48.8%), respectively. The majority ( $n = 194$ , 78.2%) of the children indicated that they had myopia, with 39 (15.7%) responding as unknown ( $n = 39$ , 15.7%) and 15 (6.1%) responding as being nonmyopic. Although children's screen use time was very similar between less than one hour ( $n = 123$ , 49.6%) and one or more ( $n = 125$ , 50.4%) hours during the weekdays, but during the weekends 66.1% ( $n = 164$ ) of the children would spend one hour or more on screen use time as compared to 33.9% ( $n = 84$ ) who spent less than one hour.

A vast majority considered their parental role as "Mother" ( $n = 189$ , 76.2%); the parental role of a "Father" accounted for 23.8% ( $n = 59$ ). In terms of age group, parents were equally represented in the categories: younger than 37 years old ( $n = 121$ , 48.8%) and 37 years and older ( $n = 127$ , 51.2%) because their average age was 37 years old. More than half of the parents had attained a college or university qualification ( $n = 138$ , 55.7%), and this was followed by postgraduate ( $n = 75$ , 30.2%), and high school or below ( $n = 35$ , 14.1%) qualifications. Parents who had myopia accounted for 64.5% ( $n = 160$ ) with the remaining 35.5% ( $n = 88$ ) being nonmyopic.

The chi-square test results revealed no significant differences between the intervention and comparison groups on the children's and parent's socio-demographic characteristics. Table 1 below provides a summary of the socio-demographic characteristics of the intervention and comparison groups for children and their parents.

**Table 1.** Socio-demographic characteristics of intervention and comparison groups for children and parents.

	Intervention Group		Comparison Group		Chi-Square	p Value
	n	%	n	%		
<b>Children</b>						
Gender					1.35	0.246
Male	61	47.3	66	55.5		
Female	68	52.7	53	44.5		
Myopia					3.53	0.171
Yes	11	8.5	4	3.4		
No	96	74.4	98	82.4		
Unknown	22	17.1	17	14.3		
Screen use time every weekday					0.78	0.376
<1 h	60	46.5	63	52.9		
≥1 h	69	53.5	56	47.1		
Screen use time every weekend					0.05	0.829
<1 h	45	34.9	39	32.8		
≥1 h	84	65.1	80	67.2		
<b>Parents</b>						
Parental role					0.70	0.402
Father	34	26.4	25	21.0		
Mother	95	73.6	94	79.0		

Age (average age = 37 years old)					0.00	1
<37 years old	63	48.8	58	48.7		
≥37 years old	66	51.2	61	51.3		
Education					1.29	0.525
High school or below	16	12.4	19	16.0		
College or university	76	58.9	62	52.1		
Postgraduate	37	28.7	38	31.9		
Myopia					1.58	0.209
Yes	78	60.5	82	68.9		
No	51	39.5	37	31.1		

### 3.2. Changes in Children's Outcome Variables

The mean score for the children's eye health knowledge in the intervention group (0.63) was lower than the comparison group (0.66) at the baseline survey (Table 2). However, the mean score in the intervention group improved to 0.97 at the follow-up survey and was higher than the comparison group which remained about the same at 0.68. In terms of the children's eye health benefits, the mean scores for the intervention and comparison groups were similar at 1.64 and 1.67, respectively, at the baseline survey. At the follow-up survey, the mean score for the intervention group had increased to 1.98, which was higher than the comparison group's score of 1.69.

For the children's eye health cues to action, the intervention group's mean score was 0.39 as compared to the comparison group of 0.57 at the baseline survey. However, at the follow-up survey, the mean score for the intervention group increased to 0.78, which was higher than the comparison group score of 0.51. With regards to the children's eye health self-efficacy, both the intervention and comparison groups had a mean score of 1.69 at the baseline survey. However, the mean score for the intervention group increased to 1.98 at the follow-up survey, which was higher than the comparison group's score of 1.68. The mean scores for the children's eye health behaviors were 1.52 and 1.49, respectively, for the intervention and comparison groups at the baseline survey. The intervention group's mean score increased to 1.91 at the follow-up survey, which was higher than the comparison group's score of 1.35.

Our findings also indicated that there was a consistent improvement in the intervention group's mean score for all the items in the children's eye health knowledge, beliefs, cues to action, self-efficacy, and behaviors when comparing the baseline and follow-up survey scores. Table 2 presents the summary findings of the baseline and follow-up surveys for the children's eye health knowledge, beliefs, cues to action, self-efficacy, and behaviors between the intervention and comparison groups.

**Table 2.** Children's eye health knowledge, beliefs, cues to action, self-efficacy, and behaviors for the intervention and comparison groups based on the baseline and follow-up surveys.

	Intervention Group				Comparison Group			
	Baseline		Follow-up		Baseline		Follow-up	
	Mean	SD	Mean	SD	Mean	SD	Mean	SD
Eye health knowledge	0.63	0.23	0.97	0.10	0.66	0.19	0.68	0.17
Screen time everyday	0.77	0.42	0.96	0.19	0.79	0.41	0.84	0.37
Screen time every time	0.74	0.44	0.97	0.17	0.76	0.43	0.80	0.40
Screen use distance	0.78	0.42	1.00	0.00	0.84	0.37	0.86	0.35
Outdoor activities	0.24	0.43	0.95	0.23	0.25	0.44	0.22	0.41
Eye health beliefs	1.64	0.23	1.96	0.10	1.67	0.21	1.69	0.23
Perceived susceptibility	1.78	0.42	1.91	0.28	1.77	0.42	1.76	0.43
Perceived severity	1.64	0.48	1.95	0.21	1.82	0.38	1.65	0.48
Perceived benefits	1.58	0.33	1.98	0.09	1.56	0.34	1.65	0.34
Perceived barriers	1.66	0.34	1.95	0.14	1.69	0.32	1.71	0.32

Eye health cues to action	0.39	0.29	0.78	0.22	0.57	0.28	0.51	0.31
Get messages from teachers	0.24	0.43	0.98	0.15	0.57	0.50	0.46	0.50
Get messages from parents	0.66	0.48	0.84	0.36	0.74	0.44	0.67	0.47
Get messages from ophthalmologists	0.28	0.45	0.51	0.50	0.39	0.49	0.40	0.49
Eye health self-efficacy	1.69	0.32	1.98	0.10	1.69	0.32	1.68	0.33
Screen time everyday	1.72	0.45	1.98	0.15	1.65	0.48	1.69	0.46
Screen time every time	1.64	0.48	1.98	0.15	1.67	0.47	1.69	0.46
Screen use distance	1.73	0.45	1.98	0.12	1.77	0.42	1.74	0.44
Outdoor activities	1.66	0.48	1.97	0.17	1.67	0.47	1.61	0.49
Eye health behaviors	1.52	0.52	1.91	0.26	1.49	0.48	1.35	0.55
Screen time everyday	1.55	0.71	1.94	0.30	1.50	0.75	1.38	0.84
Screen time every time	1.49	0.74	1.88	0.43	1.58	0.69	1.39	0.85
Screen use distance	1.63	0.66	1.94	0.32	1.53	0.72	1.50	0.80
Outdoor activities	1.40	0.78	1.87	0.44	1.37	0.82	1.13	0.91

### 3.3. Changes in Parents' Outcome Variables

Our findings showed that the mean scores in the baseline survey for parent's eye health knowledge in both the intervention and comparison groups were comparable at 0.69 and 0.70, respectively. For the follow-up survey, the mean score for the intervention group increased to 0.76, and the comparison group's score also increased to 0.72. For the parent's eye health beliefs, the mean score for the intervention group was 4.10 at the baseline survey, which was higher than the comparison group's score of 4.07. At the follow-up survey, the mean scores for both groups increased to 4.23 and 4.11, respectively.

For the parent's eye health cues to action, the intervention group's score was 0.41, which was lower than the comparison group score of 0.46 for the baseline survey. However, the intervention group's mean score improved to 0.65 in the follow-up survey and was higher than the comparison group's score of 0.51. In terms of the parents' eye health parenting efficacy, the mean scores for the intervention and comparison groups were 3.95 and 4.04, respectively, for the baseline survey. The intervention group's mean score increased to 4.19 while the comparison group's score was 4.11 at the follow-up survey. At the baseline survey, the mean score for the parents' eye health parenting behaviors in the intervention group's score was lower than that of the comparison group; 4.09 versus 4.19. The intervention group's mean score increased to 4.18 at the follow-up survey, which was similar to the comparison group's score of 4.17.

The results also revealed that the mean scores for the parents' eye health knowledge, beliefs, cues to action, parenting efficacy, and parenting behaviors improved from the baseline to the follow-up survey (Table 3).

**Table 3.** Parents' eye health knowledge, beliefs, cues to action, parenting efficacy, and parenting behaviors for the intervention and comparison groups based on the baseline and follow-up surveys.

	Intervention Group				Comparison Group			
	Baseline		Follow-up		Baseline		Follow-up	
	Mean	SD	Mean	SD	Mean	SD	Mean	SD
Eye health knowledge	0.69	0.16	0.76	0.17	0.70	0.16	0.72	0.15
Cause of myopia	0.76	0.27	0.83	0.25	0.73	0.29	0.80	0.25
Risk factor of myopia	0.45	0.25	0.59	0.32	0.50	0.24	0.48	0.26
Eye health behaviors	0.75	0.20	0.79	0.18	0.76	0.17	0.78	0.17
Eye health beliefs	4.10	0.49	4.23	0.54	4.07	0.52	4.11	0.52
Perceived susceptibility	4.57	0.54	4.62	0.65	4.54	0.78	4.63	0.68
Perceived severity	4.61	0.56	4.64	0.63	4.57	0.70	4.62	0.70
Perceived benefits	4.57	0.57	4.65	0.63	4.61	0.64	4.59	0.71
Perceived barriers	3.31	0.92	3.54	0.88	3.22	0.99	3.28	0.86



Eye health cues to action	0.41	0.28	0.65	0.31	0.46	0.28	0.51	0.28
Participation in educational courses	0.08	0.27	0.36	0.48	0.12	0.32	0.14	0.35
Get messages from the internet	0.26	0.44	0.60	0.49	0.30	0.46	0.45	0.50
Get messages from the teacher	0.76	0.43	0.91	0.28	0.78	0.41	0.81	0.40
Get messages from the ophthalmologist	0.57	0.50	0.71	0.46	0.65	0.48	0.66	0.48
Eye health parenting efficacy	3.95	0.74	4.19	0.68	4.04	0.58	4.11	0.61
Distance and poster	4.25	0.86	4.36	0.75	4.36	0.63	4.37	0.70
Time management	3.95	1.06	4.28	0.82	4.03	0.92	4.16	0.77
Environment	4.11	0.81	4.31	0.74	4.25	0.65	4.24	0.68
Outdoor activities	3.53	1.15	3.87	0.98	3.59	1.03	3.77	1.00
Vision examination	3.25	1.09	3.57	1.08	3.24	1.16	3.44	1.11
Family rule	3.87	1.09	4.10	0.95	3.83	1.10	3.97	1.00
Eye health parenting behaviors	4.09	0.69	4.18	0.74	4.19	0.56	4.17	0.57
Distance and posture	4.28	0.82	4.29	0.90	4.40	0.66	4.33	0.71
Time management	4.17	0.95	4.20	0.98	4.24	0.81	4.23	0.80
Environment	4.20	0.73	4.27	0.79	4.31	0.66	4.22	0.67
Outdoor activities	3.91	0.95	4.06	0.88	3.94	0.81	3.95	0.80
Vision examination	3.40	1.03	3.70	0.97	3.62	0.98	3.76	0.92
Family rule	4.02	0.98	4.14	0.97	3.99	0.90	4.10	0.84

### 3.4. Effects of the Intervention on Outcome Indicators

As shown in Table 4, the findings from the GEE analysis revealed that the implementation of a preschool-based eye health intervention program with parental involvement had positive effects on the increasing level of eye health knowledge ( $\beta = 0.32$ ,  $p < 0.001$ ), beliefs ( $\beta = 0.29$ ,  $p < 0.001$ ), cues to action ( $\beta = 0.44$ ,  $p < 0.001$ ), self-efficacy ( $\beta = 0.30$ ,  $p < 0.001$ ), and behaviors ( $\beta = 0.53$ ,  $p < 0.001$ ) in children. On the other hand, the intervention program had positive effects on improving eye health knowledge ( $\beta = 0.04$ ,  $p < 0.03$ ), cues to action ( $\beta = 0.18$ ,  $p < 0.001$ ), and parenting efficacy ( $\beta = 0.16$ ,  $p < 0.02$ ) for the parent group (please refer to Table 5).

**Table 4.** Multivariate analysis of children' eye health knowledge, beliefs, cues to action, self-efficacy, and behaviors.

	$\beta$	SE	$p$ Value
Eye health knowledge			
Intercept	0.66	0.02	<0.001
Time	0.02	0.02	0.350
Group	-0.03	0.03	0.260
Time $\times$ Group	0.32	0.03	<0.001
Eye health beliefs			
Intercept	1.67	0.02	<0.001
Time	0.02	0.02	0.330
Group	-0.02	0.03	0.380
Time $\times$ Group	0.29	0.03	<0.001
Eye health cues to action			
Intercept	0.57	0.03	<0.001
Time	-0.06	0.02	0.020
Group	-0.18	0.04	<0.001
Time $\times$ Group	0.44	0.03	<0.001
Eye health self-efficacy			
Intercept	1.69	0.03	<0.001
Time	-0.01	0.02	0.720
Group	0.00	0.04	0.940

Time × Group	0.30	0.04	<0.001
Eye health behaviors			
Intercept	1.49	0.04	<0.001
Time	−0.14	0.04	0.060
Group	0.02	0.06	0.890
Time × Group	0.53	0.06	<0.001

Notes:  $n = 248$ , intervention group:  $n = 129$ , comparison group:  $n = 119$ . The generalized estimating equation analysis was used.  $Y = \beta_0 + \beta_1 (\text{time}) + \beta_2 (\text{group}) + \beta_3 (\text{time} \times \text{group})$ ;  $Y = \text{children's eye health knowledge/beliefs/cues to action/self-efficacy/behaviors regarding screen use}$ . Time: baseline = 0, follow-up = 1; Group: comparison group = 0, intervention group = 1.

**Table 5.** Multivariate analysis of parents' eye health parenting knowledge, beliefs, cues to action, parenting efficacy, and parenting behaviors.

	$\beta$	SE	$p$ Value
Eye health knowledge			
Intercept	0.70	0.01	<0.001
Time	0.02	0.01	0.120
Group	−0.01	0.02	0.560
Time × Group	0.04	0.02	0.030
Eye health beliefs			
Intercept	4.07	0.05	<0.001
Time	0.05	0.04	0.230
Group	0.04	0.06	0.560
Time × Group	0.07	0.05	0.160
Eye health cues to action			
Intercept	0.46	0.03	<0.001
Time	0.05	0.03	0.080
Group	−0.05	0.04	0.180
Time × Group	0.18	0.04	<0.001
Eye health parenting efficacy			
Intercept	4.04	0.05	<0.001
Time	0.07	0.04	0.090
Group	−0.09	0.08	0.290
Time × Group	0.16	0.07	0.020
Eye health parenting behaviors			
Intercept	4.19	0.05	<0.001
Time	−0.02	0.04	0.640
Group	−0.09	0.08	0.240
Time × Group	0.10	0.07	0.150

Notes:  $n = 248$ , intervention group:  $n = 129$ , comparison group:  $n = 119$ . The generalized estimating equation analysis was used.  $Y = \beta_0 + \beta_1 (\text{time}) + \beta_2 (\text{group}) + \beta_3 (\text{time} \times \text{group})$ ;  $Y = \text{Parents' eye health parenting knowledge/beliefs/cues to action/parenting efficacy/behaviors regarding children's screen use}$ . Time: baseline = 0, follow-up = 1; Group: comparison group = 0, intervention group = 1.

#### 4. Discussion

The results of this study from a Chinese preschool-based eye health intervention program with parental involvement showed effective enhancement of children's eye health knowledge, beliefs, cues to action, and behaviors. These findings were consistent with a study conducted in Vietnam [24] about the effects of school eye health promotion on children's eye health literacy. Parental involvement has been widely recognized as a vital strategy for improving children's physical health, behavior, and mental development in general [30,37–40], and parental involvement intervention programs have been known to

be effective in reducing children's screen use time [41]. This was further supported by a study [26] revealing that parents who had higher levels of risk perception and parental efficacy were more likely to positively reduce children's screen time and improve their eye health behaviors. Previous preschool-based intervention studies had also indicated that educating parents could potentially increase parents' eye health behaviors and rates of eye examinations among preschool children [42]. Therefore, strengthening the capacities and capabilities of preschool teachers and implementing eye health education programs or courses that involved parents should be considered in order to improve children's eye health.

This study found that children rarely understood the benefits of outdoor activities for the prevention of myopia, while previous studies [43–45] suggested that increasing the duration of outdoor activities could possibly reduce the incidence and development of myopia. Other eye health prevention studies [46–48] had also indicated that two or more hours a day spent on outdoor activities could have a protective effect on children's vision. The Ministry of Education (People's Republic of China) had actively promulgated the importance of this through the Guide to Learning and Development for Children Aged 3–6 Years, which stipulated that children should spend at least two hours a day on outdoor activities [49]. However, the results of the present study showed that participating parents had lower scores in terms of their eye health parenting knowledge, beliefs, efficacy, and parenting behaviors about outdoor activities, which could be a barrier to encouraging children to spend more time on outdoor activities. Furthermore, the 2018 World Health Organization Meeting on Myopia Control recommended that outdoor time of 2–3 h per day as a practical public health intervention for school children [50]. This evidence indicated the need to increase public awareness (e.g., through eye health promotion campaigns by the government) toward the benefits of two or more hours of outdoor activities per day on eye health, which could potentially enhance children's and parents' beliefs about outdoor activity efficacy.

Findings from this study also revealed that children had attained lower scores on their beliefs and self-efficacy in the control of screen time. In terms of eye health self-efficacy, more than 40% of the children indicated that they had no confidence in themselves to control their screen time. This was also consistent with the low level of beliefs in their ability to control screen time, whereby more than half of the children spent one or more hours on screen. However, the recommendation by the American Academy of Pediatrics suggested that children should not spend more than one hour per day on screen [12] because this could result in eyestrain symptoms [19]. In addition, an experimental study in China showed that prolong screen use time could significantly affect school children's vision [51]. On the other hand, parents in this study reported increasing difficulty to control their children's screen use and engaged in outdoor activities. This could be explained by the fact that most dual-employed parent households were busy with work [52] and spent little time with their children on outdoor activities. Thus, educational workshops about intervention techniques and strategies could be conducted to help children and parents to better manage the screen time and usage frequencies. Work–life–health balance should also be encouraged by government agencies and nongovernmental organizations to enable working parents to spend more time with their children in order to minimize screen time and participate in more outdoor activities.

The present study revealed that while a preschool-based eye health intervention program combined with parental involvement had significantly improved parents' knowledge, cues to action, and parental efficacy, their health beliefs and parenting behaviors had not shown much of a similar result. One possible reason could be the high level of eye health beliefs for both the intervention and comparison parent groups in the baseline and follow-up surveys, whereby significant improvements were unnoticeable. Although some studies indicated that barriers and misconceptions about eye health among parents were key issues that need to be addressed [53,54], others found that participants' health beliefs [35] or behaviors [55] did not increase significantly after the educational

intervention. Given that the intervention period of this study was approximately one month, only short-term effects were evaluated. An extended evaluation period could provide greater insights to the extent of the effects the educational intervention program have on improving parents' eye health knowledge, cues to action, and efficacy improves parenting behaviors.

## 5. Limitations and Future Research

There are a few limitations in this study. Firstly, due to the cognitive ability of young children, they had to be assessed through group interviews by the researchers. Thus, the reliability of the results of the children's questionnaires may have been affected. However, a pilot test was conducted, and revisions were made to the questionnaire based on the children's responses and comprehension abilities. In addition, during the interview process, researchers had taken the time to explain (combined with pictures) the questions to the children, repeated and elaborated them (if necessary), to ensure their understanding.

Secondly, this study only involved educational intervention in a large public preschool consisting of five branches in Beijing; therefore, the external validity is limited. Future research can be extended to other preschools in different regions, and the results can only be compared and generalized to a wide range of preschool groups in China. However, this study can also be replicated in other countries to determine similarities and differences. Finally, this study implemented a four-week eye health intervention program that focused on the short-term evaluation of the effects on parents' and children's eye health knowledge, beliefs, cues to action, self-efficacy, and behaviors. Future research can consider assessing the impact of these factors on a longer-term basis and examine how they could potentially delay and control the development of myopia in children.

## 6. Conclusions

In conclusion, this study has used the Health Belief Model to investigate the children's and their parents' eye health knowledge, beliefs, cues to action, self-efficacy, and behaviors with an eye health intervention education program. Results showed that eye health intervention on screen use with parental involvement had a positive effect through an increase in eye health knowledge, beliefs, cues to action, self-efficacy, and behaviors among children. The eye health intervention also had positive effects on the parents with results showing improved eye health knowledge, cues to action, and parenting efficacy. Findings from this study indicated the need for government and nongovernmental organizations to collaborate toward promoting a more comprehensive school-based eye health intervention program, strengthening the capacities and capabilities of preschool teachers to support the implementation of these programs, and outdoor activity policies [56,57] in order to improve children's eye health.

**Author Contributions:** Conceptualization, S.-M.L., F.-C.C. and C.-Y.C.; methodology, F.-C.C., C.-Y.C. and S.-F.S.; formal analysis, S.-M.L. and Y.-T.C.; investigation, S.-M.L., X.-J.M., M.-Y.Y. and B.M.; data curation and/or interpretation of data, S.-M.L., F.-C.C., C.-Y.C., S.-F.S., B.M., E.N., C.-H.H., Y.-T.C., X.-J.M., M.-Y.Y., B.L. and W.-T.F.; writing—original draft preparation, S.-M.L.; writing—review and editing, S.-M.L., F.-C.C., C.-Y.C., S.-F.S., B.M., E.N., C.-H.H., Y.-T.C., X.-J.M., M.-Y.Y., B.L. and W.-T.F.; visualization, Y.-T.C.; supervision, F.-C.C., C.-Y.C., E.N., C.-H.H. and W.-T.F.; funding acquisition, S.-M.L. and F.-C.C. All authors have read and agreed to the published version of the manuscript.

**Funding:** This work was supported by the Cultivation Project of Zhejiang Provincial Advantageous and Characteristic Disciplines in the Jing Hengyi College of Education of Hangzhou Normal University (No.19JYXK005), the Zhejiang Provincial Educational Science Planning Research Subject (No. 2020SCG012), the research funds of Hangzhou Normal University (No.RWSK20200406), and the Taiwan Ministry of Science and Technology (MOST 104-2511-S-003-009-MY2).

**Institutional Review Board Statement:** The study was approved by the institutional review board of the National Taiwan Normal University (No.201802HS004).

**Informed Consent Statement:** Informed consent was obtained from all subjects involved in the study. Written informed consent has been obtained from the participants to publish this paper.

**Data Availability Statement:** The study did not report any data.

**Acknowledgments:** The authors would like to thank Pei-Chang Wu for suggestions. Our thanks go to the participating preschool principals, teachers, all the children, and parents. We thank six expert reviewers assess the content validity of the eye health intervention education curriculum and evaluation questionnaires.

**Conflicts of Interest:** The authors declare no conflict of interest.

## Appendix A. Survey Questionnaire

### A. Questionnaire introduction and informed consent for study participants.

Dear Parents,

This survey is supported by the Cultivation Project of Zhejiang Provincial Advantageous and Characteristic Disciplines in the Jing Hengyi College of Education of Hangzhou Normal University (No.19JYXK005), the Zhejiang Provincial Educational Science Planning Research Subject (No. 2020SCG012), the research funds of Hangzhou Normal University (No. RWSK20200406), and the Taiwan Ministry of Science and Technology (MOST 104-2511-S-003-009-MY2). The main objective of this questionnaire is to gain a better understanding on the effects of parental involvement in a preschool-based eye health intervention regarding your children's screen use looking at the mobile phone or phablet. Participants are deemed to have agreed and provided consent to participate in the survey when they successfully completed and submitted to us. Please note that each questionnaire can take approximately 15 min for you and for your kids studying in kindergarten to complete. Thank you for taking the time to complete it.

This questionnaire has been designed to be completed and will identify individual participants because we will test twice. The research team will take all reasonable steps to maintain your privacy and the confidentiality of the data collected. This research results will be published in academic journals with findings reported as a summary where no individuals will be identified. There are no commercial benefits derived from this study.

Please do not feel obliged to participate in this study; however, once you have started and submitted your and your kid's answers, you are deemed to agree to participate. Because this questionnaire will be pre-coded for your identification purpose to retest from a test–retest method, the research team will not be able to delete your questionnaires and their contents once they have been filled out and submitted to us as well as a follow-up survey.

If you wish to inquire about the content of this questionnaire, or are interested in knowing the results of the research, you are welcome to request a summary of the research results by contacting (Project advisor: Fong-Ching Chang, Tel: +886-2-77491711, email: fongchingchang@ntnu.edu.tw) at the Department of Health Promotion and Health Education, National Taiwan Normal University (NTNU). This study was approved (REC No. 201802HS004) by the institutional review board of Research Ethics Committee (REC) of the NTNU.

Project PI: Shu-Mei Liu

Jing Hengyi College of Education, Hangzhou Normal University

Project advisor: Fong-Ching Chang

Department of Health Promotion and Health Education, NTNU

### B. Basic information

#### 1. Your child's gender:

male female

#### 2. Does your child have myopia (nearsightedness) by ophthalmologists (eye doctors)?

yes no unknown

#### 3. How many days did your child watch electronic products while eating during last week?

- 0 days 1 day 2 days 3 days 4 days 5 days 6 days 7 days
4. How many days did your child spend watching electronic products at night before going to bed during last week?  
0 days 1 day 2 days 3 days 4 days 5 days 6 days 7 days
5. During last week, the average time your child spent watching electronic products on weekdays (Monday to Friday):  
 \_\_\_ h \_\_\_ minute/day
6. During last week, the average time your child spent watching electronic products on holidays (Saturday and Sunday):  
 \_\_\_ h \_\_\_ minute/day
7. Your parental role:  
father mother
8. Your age \_\_\_\_\_
9. Your education qualification:  
 high school or below  college or university (undergraduate)  postgraduate
10. Does you have myopia (nearsightedness)?  
yes no

C. Questions for your child looking at the mobile phone or phablet (for children role only) (No. \_\_) (for authorized attendees only)



1. How long do you think your screen time should be every day?



2. How long do you think your screen time should be every time?



3. When looking at screens, how far away is appropriate?



4. At least, how long is it, to stay out of myopia every day to play outdoor activities?



---

5. Do you think that using screens often makes your eyes uncomfortable?

---



---

6. Do you think it is serious that screen overuse makes your eyes uncomfortable?

---



---

7. Do you think that restricting screen uses no more than one hour a day is good for your eyes?

---



---

8. Do you think that restricting screen uses no more than half an hour a day is good for your eyes?

---



---

9. Do you think that playing outdoors for more than two hours a day is good for eyes?

---



---

10. Do you think it is hard for you to restrict screen uses no more than one hour per day?

---



---

11. Do you think it is hard for you to restrict screen uses no more than half an hour per day?

---



---

12. Do you think it is hard for you to spend more than two hours outside every day?

---



---

13. Has your teacher ever taught you how to protect your eyes when using a screen?

---



---

14. Has your family taught you how to protect your eyes when using a screen?

---



---

15. In the last month, did your family take you to the eye doctors to have your eyes checked?

---





---

16. Do you feel confident that your screen use is no more than one hour a day?

---



---

17. Do you feel confident that your screen use is no more than half an hour a day?

---



---

18. Do you feel confident that you use screen to keep a proper distance?

---



---

19. At the weekends or during the holidays, do you feel confident that you spend more than two hours playing outdoor activities every day?


---



---

20. In the last week, have you use any screens within an hour per day?


---



---

21. In the last week, have you use any screens within half an hour per day?


---



---

22. In the last week, have you use any screens to keep a proper distance?


---



---

23. In the last week, have you spent more than two hours playing outdoor activities every day?

---



D. Questions for you (for parental role only) (No. \_\_) (for authorized attendees only). Please read all of the instructions. If you have any trouble with your test or understanding test questions, contact your instructor.

Question sets D1 (10 items):

Answer instructions: We wish to understand your perception of your child's vision care in using electronic products. Please read the questions carefully and select the most suitable answer for each question.

1. Which of the following is the most important behavioral factor leading to myopia?

- (1) Excessive use of eyes at close range for a long time
- (2) Frequently rub your eyes with your hands
- (3) Not taking in balanced nutrition
- (4) Irregular sleep
- (5) Don't know

2. Regarding myopia, which of the following statements is wrong?

- (1) Myopia is caused by the elongated eye axis; when looking at distant objects, it cannot be imaged on the retina
- (2) Myopia is a disease
- (3) After the eye axis is elongated, it can be restored
- (4) When children have blurred vision, it may be pseudo-myopia
- (5) Don't know

3. Which of the following statement is not included in the complications that are prone to high myopia?

- (1) Glaucoma
- (2) Cataract
- (3) Leukoplakia
- (4) Retina degeneration or detachment
- (5) Don't know

4. Which of the following statement is correct about the blue light of electronic products?

- (1) Adult eyeballs have matured, and blue light from electronic products will not harm adult eyes
- (2) Exposure to blue light for a long time may cause damage to the retina of the eye
- (3) The blue light emitted by mobile phones and tablets is very weak, so you don't have to worry about hurting your eyes
- (4) Put on an anti-blue film or wear anti-blue glasses, so you don't have to worry about the impact of using electronic products on your eyesight
- (5) Don't know

5. How often does a child's vision health check take?

- (1) If the vision is normal, there is no need for regular vision checks
- (2) Check once every six months, there should be twice a year
- (3) Inspection once a year
- (4) Inspection once every two years
- (5) Don't know

6. Which of the following behaviors when viewing electronic products is beneficial to vision care?

- (1) Can be seen on a car with enough light
- (2) Can lie down and watch in a comfortable position on the bed
- (3) Looking under the heavy sun
- (4) When the room is dim, turn on the headlights and desk lamps at the same time

(5) Don't know

7. After reading for a long time, which of the following methods can relieve fatigue and get the best rest?

- (1) You can relax your eyes by watching TV
- (2) You can play outdoors for a while
- (3) You can rub your eyes with both hands
- (4) You can play a game on the phone for a while
- (5) Don't know

8. Which one of the following statements is correct regarding the time that children spend watching electronic products?

- (1) No more than 1 h per day, 30 min at most each time, and at least 5 min rest
- (2) No more than 1 h per day, 30 min at most each time, and rest at least 10 min
- (3) No more than 2 h a day, 40 min at most each time, and rest at least 10 min
- (4) No more than 2 h a day, 40 min at most each time, and rest at least 10 min
- (5) Don't know

9. When children use electronic products, how far should they keep their eyes from the screen?

- (1) The distance between the eyes and the mobile phone is maintained at 30 cm
- (2) The distance between the eyes and the tablet is maintained at 30 cm
- (3) The distance between the eyes and the TV, the closer the better under the premise of seeing clearly
- (4) The distance between the eyes and the TV, as far as possible under the premise of seeing clearly, the better
- (5) Don't know

10. Regarding outdoor activities, which of the following is wrong?

- (1) Going outdoors when the sun is strong at noon has the best effect on vision care
- (2) Outdoor activities for at least 2 h a day are an effective way to prevent myopia
- (3) Appropriate natural light outdoors can stimulate the release of dopamine, thereby inhibiting the growth of the eye axis and preventing myopia
- (4) The outdoor activities here refer to any activities or sports performed outdoors during the day.
- (5) Don't know

Question sets D2 (16 items): Parents' Belief in Vision Care for Children's Use of Electronic Products

Answer instructions: We wish to know your true feelings about your child's vision care using electronic products (TV, computer, mobile phone or tablet). Please check the most suitable answer for each question.

Your true feelings about the vision care of your child using electronic products	Strongly Disagree (1)	Disagree (2)	Undecided (3)	Agree (4)	Strongly Agree (5)
1. I think that children who often watch electronic products can easily lead to premature myopia (eye strain)					
2. I think that children who often watch electronic products can easily lead to deepening of myopia					

---

3. I think that children who often look at electronic products can easily cause other eye diseases (such as dry eyes, itching)

---

4. I think it's a serious matter that my child has myopia prematurely due to frequent viewing of electronic products

---

5. I think it's a serious matter that the child's myopia is deepened due to frequent viewing of electronic products.

---

6. I think that other eye diseases (such as dry eyes and itching) caused by children who often look at electronic products are serious.

---

7. I think that when a child watches electronic product, remind him (her) that the total time per day does not exceed 1 h, which will help his (her) vision care

---

8. I think that when a child looks at electronic products, remind him (her) to rest for at least 10 min at most 30 min at a time, which will help his (her) vision care

---

9. I think that a child's outdoor activities for at least 2 h a day will help his or her vision care

---

10. I think that taking the child to the ophthalmologist to check the eyesight every six months will help his or her eyesight care

---

11. Facing the child's request, I find it difficult to restrict him or her from viewing electronic products

---

12. I find it difficult to ask children to watch electronic products for no more than 1 h a day

13. I think it's very difficult for a child to take a break of at least 10 min at most 30 min at a time when watching electronic products

14. I find it difficult to take my children to outdoor activities for at least 2 h a day

15. I think it is expensive to take vision care for children (such as purchasing suitable tables and chairs or lighting equipment, vision check, etc.)

16. I find it inconvenient to take my child to the ophthalmologist for a vision check

Question sets D3 (4 items): Parents' Action Clues Scale for Children's Vision Care in Using Electronic Products  
Instructions for answering: We wish to know under which of the following situations you have received information about vision care. Please read the questions carefully and select the most suitable answer for each question.

Under which of the following situations have you obtained information about vision care for using electronic products? Yes No

1. I have participated in education courses related to "Eye Care Using Electronic Products"
2. I have received information about "eye care using electronic products"
3. The kindergarten teacher once told me how to take care of my children's vision
4. The ophthalmologist once told me how to take care of my child's vision

Question sets D4 (11 items): Parents' Effective Efficacy for Children's Vision Care and Management of Electronic Products

Answering instructions: We wish to know your confidence in your child's use of electronic products in the vision care management. Please read the questions carefully, and select the most suitable answer for each question.

Your confidence ratio in the following situations is 0 25% 50% 75% 100%

1. When a child uses electronic products too close, I can remind him to keep his eyes away from the screen
2. When the child looks at electronic products, I can remind him to keep his posture upright
3. When the child looks at electronic products, I can remind him to rest for at least 10 min at most 30 min at a time

4. When a child looks at electronic products, no matter what he asks, I can remind him that the total time per day cannot exceed 1 h
5. When the child looks at electronic products, I can remind him to have enough light or lighting in the environment
6. No matter what the child asks, I can restrict him or her from watching electronic products before going to bed
7. No matter what the child asks, I can restrict him or her from eating and watching electronic products
8. No matter what the child asks, I can restrict him or her from watching electronic products on the moving vehicles
9. Even if it is busy on weekends or holidays, I can let my children have at least 2 h of outdoor activities every day
10. Even if it is inconvenient, I can still take my child to the ophthalmologist to check the eyesight every six months (not including the kindergarten's eyesight check for young children)
11. I can persuade my family and my child to agree on the rules for using electronic products

Question sets D5 (11 items): Parents' Behavior Scale for Vision Care and Discipline of Young Children's Use of Electronic Products

Instructions for answering: This section wants to learn about your child's use of electronic products in the past week. Please read the questions carefully and select the most suitable answer.

In the past week, have you had any of the following situations	Never	Rarely	Sometimes	Often	Always
--	-------	--------	-----------	-------	--------

1. I can remind my child to keep a proper distance when he/she uses the screen
2. When the child looks at electronic products, I remind him/her to keep his posture upright
3. When the child looks at electronic products, I remind him/her to rest for at least 10 min at most 30 min at a time
4. When the child looks at electronic products, I remind him/her that the total time per day cannot exceed 1 h
5. When the child looks at electronic products, I remind him/her to have enough light or lighting in the environment
6. I restrict my child not to watch electronic products before going to bed
7. I restrict children from eating and watching electronic products
8. I restrict my children not to watch electronic products on moving vehicles
9. On weekends or holidays, I let my children have at least 2 h of outdoor activities every day
10. After the kindergarten school on weekdays, I let the children have at least 1 h of outdoor activities every day

- 
11. I persuaded my family and my child to agree on the rules for using electronic products
- 

This concludes all the questions, thank you very much for your assistance! Good health!

## References

- Minto, H.; Ho, M. What is comprehensive school eye health? *Community Eye Health* **2017**, *30*, 21.
- Pascolini, D.; Mariotti, S.P. Global estimates of visual impairment: 2010. *Br. J. Ophthalmol.* **2012**, *96*, 614–618.
- Ramamurthy, D.; Lin Chua, S.Y.; Saw, S.M. A review of environmental risk factors for myopia during early life, childhood and adolescence. *Clin. Exp. Optom.* **2015**, *98*, 497–506.
- National Health Commission of the People's Republic of China. Healthy China Action (2019–2030). Available online: [http://www.gov.cn/xinwen/2019-07/15/content\\_5409694.htm](http://www.gov.cn/xinwen/2019-07/15/content_5409694.htm) (accessed on 7 June 2020).
- Beijing Municipal Health Commission. Beijing Hygiene and Population Health Status Report in 2018. Available online: [http://wjw.beijing.gov.cn/xwzx\\_20031/xwfb/202001/t20200103\\_1554805.html](http://wjw.beijing.gov.cn/xwzx_20031/xwfb/202001/t20200103_1554805.html) (accessed on 2 June 2020).
- Chua, S.Y.; Sabanayagam, C.; Cheung, Y.B.; Chia, A.; Valenzuela, R.K.; Tan, D.; Wong, T.Y.; Cheng, C.Y.; Saw, S.M. Age of onset of myopia predicts risk of high myopia in later childhood in myopic Singapore children. *Ophthalmic Physiol. Opt.* **2016**, *36*, 388–394.
- Pärssinen, O.; Kauppinen, M. Risk factors for high myopia: A 22-year follow-up study from childhood to adulthood. *Acta Ophthalmol.* **2019**, *97*, 510–518.
- Wu, P.-C.; Huang, H.-M.; Yu, H.-J.; Fang, P.-C.; Chen, C.-T. Epidemiology of myopia. *Asia-Pac. J. Ophthalmol.* **2016**, *5*, 386–393.
- China Internet Network Information Center. The 43rd Statistical Report on the Development of the Internet in China. Available online: [http://www.cac.gov.cn/2019-02/28/c\\_1124175677.htm](http://www.cac.gov.cn/2019-02/28/c_1124175677.htm) (accessed on 2 June 2020).
- Kabali, H.K.; Irigoyen, M.M.; Nunez-Davis, R.; Budacki, J.G.; Mohanty, S.H.; Leister, K.P.; Bonner, R.L. Exposure and use of mobile media devices by young children. *Pediatrics* **2015**, *136*, 2015–2151.
- Ofcom. Children and Parents: Media Use and Attitudes Report. 2020/21. Available online: <https://www.ofcom.org.uk/research-and-data/media-literacy-research/childrens/children-and-parents-media-use-and-attitudes-report-2021> (accessed on 19 October 2021).
- American Academy of Pediatrics. Media and young minds. *Pediatrics* **2016**, *138*, e20162591.
- Rideout, V. *The Common Sense Census: Media Use by Kids Age Zero to Eight*; Common Sense Media: San Francisco, CA, USA, 2020.
- Kim, J.; Hwang, Y.; Kang, S.; Kim, M.; Kim, T.-S.; Kim, J.; Seo, J.; Ahn, H.; Yoon, S.; Yun, J.P. Association between exposure to smartphones and ocular health in adolescents. *Ophthalmic Epidemiol.* **2016**, *23*, 269–276.
- Lund, D.; Marshall, J.; Mellerio, J.; Okuno, T.; Schulmeister, K.; Sliney, D.; Söderberg, P.; Stuck, B.; Van Norren, D.; Zuclich, J. A computerized approach to transmission and absorption characteristics of the human eye. In Proceedings of the CIE, Hangzhou, China, 19–21 September 2012; p. 2012.
- Moon, J.H.; Kim, K.W.; Moon, N.J. Smartphone use is a risk factor for pediatric dry eye disease according to region and age: A case control study. *BMC Ophthalmol.* **2016**, *16*, 188.
- Niwano, Y.; Kanno, T.; Iwasawa, A.; Ayaki, M.; Tsubota, K. Blue light injures corneal epithelial cells in the mitotic phase in vitro. *Br. J. Ophthalmol.* **2014**, *98*, 990–992.
- O'hagan, J.; Khazova, M.; Price, L. Low-energy light bulbs, computers, tablets and the blue light hazard. *Eye* **2016**, *30*, 230.
- Long, J.; Cheung, R.; Duong, S.; Paynter, R.; Asper, L. Viewing distance and eyestrain symptoms with prolonged viewing of smartphones. *Clin. Exp. Optom.* **2017**, *100*, 133–137.
- Yang, G.-Y.; Huang, L.-H.; Schmid, K.L.; Li, C.-G.; Chen, J.-Y.; He, G.-H.; Liu, L.; Ruan, Z.-L.; Chen, W.-Q. Associations between screen exposure in early life and myopia amongst Chinese preschoolers. *Int. J. Environ. Res. Public Health* **2020**, *17*, 1056.
- Alvarez-Peregrina, C.; Sánchez-Tena, M.Á.; Martínez-Perez, C.; Villa-Collar, C. The relationship between screen and outdoor time with rates of myopia in Spanish children. *Front. Public Health* **2020**, *8*, 596.
- Lanca, C.; Saw, S.M. The association between digital screen time and myopia: A systematic review. *Ophthalmic Physiol. Opt.* **2020**, *40*, 216–229.
- Agarwal, S.; Goel, D.; Sharma, A. Evaluation of the factors which contribute to the ocular complaints in computer users. *J. Clin. Diagn. Res. JCDR* **2013**, *7*, 331.
- Paudel, P.; Yen, P.T.; Kovai, V.; Naduvilath, T.; Ho, S.M.; Giap, N.V.; Holden, B.A. Effect of school eye health promotion on children's eye health literacy in Vietnam. *Health Promot. Int.* **2019**, *34*, 113–122.
- Ministry of Education of the People's Republic of China. Notice on Issuing the Implementation Plan for Comprehensive Prevention and Control of Myopia in Children and Adolescents. Available online: [http://www.moe.gov.cn/srcsite/A17/moe\\_943/s3285/201808/t20180830\\_346672.html](http://www.moe.gov.cn/srcsite/A17/moe_943/s3285/201808/t20180830_346672.html) (accessed on 27 January 2020).
- Chang, F.-C.; Chiu, C.-H.; Chen, P.-H.; Miao, N.-F.; Chiang, J.-T.; Chuang, H.-Y. Computer/Mobile Device Screen Time of Children and Their Eye Care Behaviour: The Roles of Risk Perception and Parenting. *Cyberpsychol. Behav. Soc. Netw.* **2018**, *21*, 179–186. doi:10.1089/cyber.2017.0324
- de Buhr, E.; Tannen, A. Parental health literacy and health knowledge, behaviours and outcomes in children: A cross-sectional survey. *BMC Public Health* **2020**, *20*, 1096.



28. Vann, W., Jr.; Lee, J.Y.; Baker, D.; Divaris, K. Oral health literacy among female caregivers: Impact on oral health outcomes in early childhood. *J. Dent. Res.* **2010**, *89*, 1395–1400.
29. Velardo, S.; Drummond, M. Emphasizing the child in child health literacy research. *J. Child Health Care* **2017**, *21*, 5–13.
30. Daniel, G.R.; Wang, C.; Berthelsen, D. Early school-based parent involvement, children's self-regulated learning and academic achievement: An Australian longitudinal study. *Early Child. Res. Q.* **2016**, *36*, 168–177.
31. Dong, F.; Howard, A.G.; Herring, A.H.; Thompson, A.L.; Adair, L.S.; Popkin, B.M.; Aiello, A.E.; Zhang, B.; Gordon-Larsen, P. Parent-child associations for changes in diet, screen time, and physical activity across two decades in modernizing China: China Health and Nutrition Survey 1991–2009. *Int. J. Behav. Nutr. Phys. Act.* **2016**, *13*, 118.
32. Janz, N.K.; Becker, M.H. The health belief model: A decade later. *Health Educ. Q.* **1984**, *11*, 1–47.
33. Glanz, K.; Rimer, B.K.; Viswanath, K. *Health Behaviour and Health Education: Theory, Research, and Practice*; John Wiley & Son: New York, NY, USA, 2008.
34. Ebeigbe, J.A. Factors influencing eye-care seeking behaviour of parents for their children in Nigeria. *Clin. Exp. Optom.* **2018**, *101*, 560–564.
35. Tseng, G.-L.; Chen, C.-Y. Evaluation of high myopia complications prevention program in university freshmen. *Medicine* **2016**, *95*, e5093.
36. Epstein, J.L. School/family/community partnerships: Caring for the children we share. *Phi Delta Kappan* **2010**, *92*, 81–96.
37. Mahuro, G.; Hungi, N. Parental participation improves student academic achievement: A case of Iganga and Mayuge districts in Uganda. *Cogent Educ.* **2016**, *3*, 1264170.
38. Ansari, A.; Gershoff, E. Parent involvement in head start and children's development: Indirect effects through parenting. *J. Marriage Fam.* **2016**, *78*, 562–579.
39. Kim, H.S.; Park, J.; Park, K.-y.; Lee, M.-N.; Ham, O.K. Parent involvement intervention in developing weight management skills for both parents and overweight/obese children. *Asian Nurs. Res.* **2016**, *10*, 11–17.
40. Lester, L.; Pearce, N.; Waters, S.; Barnes, A.; Beatty, S.; Cross, D. Family involvement in a whole-school bullying intervention: Mother's and father's communication and influence with children. *J. Child Fam. Stud.* **2017**, *26*, 2716–2727.
41. Pearson, N.; Biddle, S.J.; Griffiths, P.; Sherar, L.B.; McGeorge, S.; Haycraft, E. Reducing screen-time and unhealthy snacking in 9–11 year old children: The Kids FIRST pilot randomised controlled trial. *BMC Public Health* **2020**, *20*, 122.
42. Mehravaran, S.; Quan, A.; Hendler, K.; Yu, F.; Coleman, A.L. Implementing enhanced education to improve the UCLA Pre-school Vision Program. *J. Am. Assoc. Pediatric Ophthalmol. Strabismus* **2018**, *22*, 441–444.
43. Guo, Y.; Liu, L.J.; Xu, L.; Lv, Y.Y.; Tang, P.; Feng, Y.; Meng, M.; Jonas, J.B. Outdoor activity and myopia among primary students in rural and urban regions of Beijing. *Ophthalmology* **2013**, *120*, 277–283.
44. He, M.; Xiang, F.; Zeng, Y.; Mai, J.; Chen, Q.; Zhang, J.; Smith, W.; Rose, K.; Morgan, I.G. Effect of time spent outdoors at school on the development of myopia among children in China: A randomized clinical trial. *JAMA* **2015**, *314*, 1142–1148.
45. Wu, P.-C.; Tsai, C.-L.; Wu, H.-L.; Yang, Y.-H.; Kuo, H.-K. Outdoor activity during class recess reduces myopia onset and progression in school children. *Ophthalmology* **2013**, *120*, 1080–1085.
46. Hsu, C.-C.; Huang, N.; Lin, P.-Y.; Tsai, D.-C.; Tsai, C.-Y.; Woung, L.-C.; Liu, C.J.-L. Prevalence and risk factors for myopia in second-grade primary school children in Taipei: A population-based study. *J. Chin. Med. Assoc.* **2016**, *79*, 625–632.
47. Read, S.A.; Collins, M.J.; Vincent, S.J. Light exposure and physical activity in myopic and emmetropic children. *Optom. Vis. Sci.* **2014**, *91*, 330–341.
48. Wu, P.-C.; Chen, C.-T.; Lin, K.-K.; Sun, C.-C.; Kuo, C.-N.; Huang, H.-M.; Poon, Y.-C.; Yang, M.-L.; Chen, C.-Y.; Huang, J.-C. Myopia prevention and outdoor light intensity in a school-based cluster randomized trial. *Ophthalmology* **2018**, *125*, 1239–1250.
49. Ministry of Education of the People's Republic of China. 2012. Guide to Learning and Development for Children Aged 3–6 Years. Available online: [http://www.moe.gov.cn/srcsite/A06/s3327/201210/t20121009\\_143254.html](http://www.moe.gov.cn/srcsite/A06/s3327/201210/t20121009_143254.html) (accessed on 22 July 2020).
50. Ang, M.; Flanagan, J.L.; Wong, C.W.; Müller, A.; Davis, A.; Keys, D.; Resnikoff, S.; Jong, M.; Wong, T.Y.; Sankaridurg, P. Myopia control strategies recommendations from the 2018 WHO/IAPB/BHVI Meeting on Myopia. *Br. J. Ophthalmol.* **2020**, *104*, 1482–1487.
51. Zhang, Z.; Xu, G.; Gao, J.; Wang, L.; Zhu, Y.; Li, Z.; Zhou, W. Effects of E-Learning Environment Use on Visual Function of Elementary and Middle School Students: A Two-Year Assessment—Experience from China. *Int. J. Environ. Res. Public Health* **2020**, *17*, 1560.
52. Qi, Z.; Hou, Y. Research on the Influence of Family Supporting Supervisor Behaviour on Employee's Job Performance. In Proceedings of the 2019 3rd International Conference on Education, Culture and Social Development (ICECSD 2019), Guilin, China, 28–30 June 2019; pp. 439–445.
53. Conway, M.; Subramanian, A.; O Donoghue, E.; Donaldson, L. Attitudes of parents toward eye care in children under 7 years old in the Republic of Ireland. *Acta Ophthalmol.* **2017**(S259). Available online: <https://onlinelibrary.wiley.com/doi/10.1111/j.1755-3768.2017.02675> (accessed on 24 October 2021).
54. Donaldson, L.; Subramanian, A.; Conway, M.L. Eye care in young children: A parent survey exploring access and barriers. *Clin. Exp. Optom.* **2018**, *101*, 521–526.
55. Shojaei, S.; Farhadloo, R.; Aein, A.; Vahedian, M. Effects of the Health Belief Model (HBM)-Based Educational Program on the Nutritional Knowledge and Behaviours of CABG Patients. *J. Tehran Heart Cent.* **2016**, *11*, 181–186.

56. Fang, W.-T.; Ng, E.; Liu, S.-M.; Chiang, Y.-T.; Chang, M.-C. Determinants of pro-environmental behavior among excessive smartphone usage children and moderate smartphone usage children in Taiwan. *PeerJ* **2021**, *9*, e11635 <https://doi.org/10.7717/peerj.11635>.
57. Fang, W.-T.; Ng, E.; Chang, M.-C. Physical outdoor activity versus indoor activity: Their influence on environmental behaviors. *Int. J. Environ. Res. Public Health* **2017**, *14*, 797. <https://doi.org/10.3390/ijerph14070797>.